









Forget the hassle of legacy videoconferencing systems and focus on the essentials

VideoTouch Compact makes videoconferencing from a meeting room easier while maintaining a high level of quality and confidentiality.

Manage your videoconferencing with fingertips with incredible ease

Get rid of technical issues and forget the tedious handling of remote controls, complicated network configurations and interoperability issues.

For a small group or a videoconference involving many participants, the VideoTouch Compact simplifies your life and allows you to communicate confidentially from your meeting room.



















Simpler

Ergonomic touch console

Enlarge videos, moderate participants or share a computer screen.

✓ Clear and intuitive interface

Get back to the graphic universe of Tixeo solutions for smartphones and workstations.

✓ Easy installation

No dedicated line, no complex firewall settings.

✓ Smart multiscreen display

Participants' videos and shares are automatically distributed and maximized on 1 or 2 screens in 1080p HD quality.



More efficient

✓ HD Video

Latest-generation PTZ camera with Carl Zeiss optics.

✓ Crystal clear sound

Microphone/loudspeaker system integrated in the console delivering pure, intelligible sound without echo or reverberation.

✓ Power and smoothness

VideoTouch Compact features 7th generation Intel® Core i5 processor.



Safer

✓ Encryption

End-to-end encrypted audio/video communication in a multipoint meeting.

Encrypted communication link between client and server.

✓ No ports to open

No impact on network security policy.

✓ Compartmenting meeting

Impermeability of data from one meeting to another.

✓ ANSSI Certification/Qualification



The French technology Tixeo has obtained a CSPN certification and a qualification from ANSSI (National Cybersecurity Agency of France)

Effective collaboration

Connect any equipment to the VideoTouch Compact to instantly view your working documents.



VideoTouch Compact makes your collaborative processes easier: plug in your computer or tablet (HDMI). A simple tap on the screen activates the sharing, and the content is displayed on the participants' screens.

The integrity and confidentiality of your documents are perfectly guaranteed: the VideoTouch Compact does not have access to your data, it only displays them.

The Tixeo universality

VideoTouch Compact remains an open videoconferencing system: the TixeoGateway option provides perfect interoperability to communicate with legacy videoconferencing systems such as SIP or H.323 without any of their inconvenience.







High resolution touch panel & HD video camera

VideoTouch Compact revolutionizes the organization of your videoconferences from a meeting room. Its format and high definition touchscreen offer a simplified handling: in a few seconds you invite your participants and start the meeting without worrying about technical issues related to its use. Bring your meetings to life with the motorized HD camera.



Touch panel

| Processor | 7th Generation Intel® Core i5, Intel Q270 Chipset | |
|---------------------------------|---|--|
| Memory | 8 GB (2 x 4 GB) DDR4-2400 MHz | |
| Touchscreen | 11.6" touchscreen, 360° rotatable, 1920 x 1080 resolution, 16:9 aspect ratio | |
| Audio | Dual 4W Dolby® Audio Premium tuned speakers 2 x microphone array tuned for far-field sensitivity | |
| Ports & Slots | HDMI-in, 2 x HDMI-out, RJ-45 Ethernet, 4 x USB 3.0 (Type A) 3.5 mm stereo jack | |
| Capture | Integrated capture card - HDMI | |
| Security | Kensington Lock for chassis Secure cable management door | |
| Dimensions (L x W x H) / Weight | 279 mm × 193 mm × 176 mm - 10.98" x 7.60" x 6.93" / 2,5kg | |



Camera

| Optic | Sony super-low-light 2M pixel sensor |
|---------------------------------|--|
| Pan and tilt | Pan: ±170° Tilt: +90° (up) -30° (down) |
| Zoom | Zoom 18X total zoom (12X optical zoom) |
| Wide field of view (DFOV) | 82° |
| Resolution | 1080p - 60, 30 or 15 ips |
| Caméra IR remote control | orientation, zoom, volume, etc. 10 camera presets. |
| Auto focus | Minimum focus distance: 1.5 m |
| Security | Kensington security slot |
| Cable | USB 3.1 type C à type A de 3 m (10 ft) |
| Dimensions (L x W x H) / Weight | 182 mm x 142,7 mm x 153 mm / 1.47 kg |

Maximize capacity with the VideoTouch Compact Group

Think larger with the VideoTouch Compact Group. With the speakerphone, welcome more participants (up to 20 and more) and make sure everyone can be heard.



| Speakerphone | | |
|---|---|--|
| Full duplex microphone array with echo cancellation | Touch controls for volume down/up, mute, phone input, call, and | |
| Dual-microphone array | hang-up | |
| 3.5 mm phone-in jack | Bridge phone-in and USB into one call | |
| 3.5 mm line out | Security: Kensington slot | |
| Speaker volume: Adjustable to 90dB SPL at 0.5 m | Audio format: AAC-LC, Network protocol: RTSP, RTMP | |



Technical requirements

- 2 power supply
- 1 LAN RJ45 network plug
- A screen with HDMI plug

Tixeo, a software editor, does not manufacture hardware.

It supplies equipment under

the DELL, ELO, LENOVO, AVER, LOGITECH and ERARD brands.

+33 (0)4 67 75 04 31 Contact@tixeo.com



